

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side A

SDS No : PS 100EX A

Date Issued : 09/18/2019

SECTION 1 : Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Product name : PolySpec 100EX - Side A

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Manufacturer

Holcim Solutions and Products US, LLC
 26 Century Boulevard, Suite 205
 Nashville, Tennessee 37214
 1-800-878-7876 •www.polyspec.com

1.4. Emergency telephone number

CHEMTREC (US Transportation): (800) 424-9300
 International: (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Health : Acute Toxicity (Oral), Category 4
 Acute Toxicity (Dermal), Category 4
 Acute Toxicity (Inhalation), Category 3
 Skin Corrosion, Category 2
 Serious Eye Damage, Category 1
 Target Organ Toxicity (Single exposure), Category 3

Environmental : Chronic Hazards to the Aquatic Environment,
 Category 3
 Acute Hazards to the Aquatic Environment, Category 2

Physical : Organic Peroxides, Type D

2.2. Label elements

Classification according to Regulation (EC) No 1272/2008 [CLP]





SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side A

SDS No : PS 100EX A

Date Issued : 09/18/2019

Hazard pictogram(s) :    

Flame Skull and crossbones Corrosion Exclamation mark

Hazard statement(s) : H242: Heating may cause a fire.
 H302: Harmful if swallowed.
 H312: Harmful in contact with skin.
 H315: Causes skin irritation.
 H318: Causes serious eye damage.
 H335: May cause respiratory irritation.
 H331: Toxic if inhaled.
 H412: Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

Prevention : P102: Keep out of reach of children.
 P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
 P273: Avoid release to the environment.
 P270: Do not eat, drink or smoke when using this product.
 P220: Keep away from clothing and other combustible materials.
 P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P234: Keep only in original packaging.
 P271: Use only outdoors or in a well-ventilated area.
 P264: Wash ... thoroughly after handling.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response : P311: Call a POISON CENTER/doctor/...
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P304+P340: IF INHALED: Remove person to fresh air

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side A

SDS No : PS 100EX A

Date Issued : 09/18/2019

and keep comfortable for breathing.
 P302+P352: IF ON SKIN: Wash with plenty of water/...
 P301+P312: IF SWALLOWED: Call a POISON CENTER/ doctor/...if you feel unwell.
 P332+P313: If skin irritation occurs: Get medical advice/attention.
 P330: Rinse mouth.
 P362+P364: Take off contaminated clothing and wash it before reuse.

Storage

: P233: Keep container tightly closed.
 P403+P235: Store in a well-ventilated place. Keep cool.
 P405: Store locked up.
 P420: Store separately.
 P410: Protect from sunlight.
 P411: Store at temperatures not exceeding ...°C/...°F.

Disposal

: P501: Dispose of contents/container to ...

2.3. Other hazards

SECTION 3: Composition / information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

| Chemical Name | CAS | EINECS No. | Wt.% |
|-----------------------------------|------------|------------|---------|
| Bisphenol A/epichlorohydrin Resin | 25068-38-6 | - - | 30 - 60 |
| p-Chlorobenzotrifluoride | 98-56-6 | 202-681-1 | 1 - 3 |

SECTION 4: First aid measures

4.1. Description of first aid measures

General notes

: Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side A

SDS No : PS 100EX A

Date Issued : 09/18/2019

immediately. While flushing, remove clothes which do not adhere to the affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this SDS to the doctor in attendance.

- Following eyes** : Immediately flush eyes with plenty of tempered water (at least 15-20 minutes) lifting upper and lower eye lids occasionally. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention immediately.
- Following skin** : Remove contaminated clothing. Wash the affected area immediately with large amounts of soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash clothing before reuse.
- Following ingestion** : Rinse mouth. Get medical advice/attention if symptoms occur or you feel unwell.
- Following inhalation** : Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Eyes** : Severe eye irritation - symptoms include stinging, tearing, redness, swelling, and blurred vision.
- Skin** : May cause skin irritation; redness, pain, allergic skin reaction, dermatitis, rash.

4.3. Indication of any immediate medical attention and special treatment needed

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side A

SDS No : PS 100EX A

Date Issued : 09/18/2019

SECTION 5: Fire fighting measures

5.1. Extinguishing media

Extinguishing media : Water Fog, Foam, Dry Chemical Powder, Carbon Dioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

General hazard : Combustible Liquid. Heating may cause a fire.

5.3. Advice for firefighters

Fire fighting procedures : Use standard firefighting procedures and consider the hazards of other involved materials.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do without risk. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire.

Fire fighting equipment : As in any fire, wear Self-Contained Breathing Apparatus (SCBA) MSHA/NIOSH approved or equivalent and full protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Release notes : Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.2. Environmental precautions

Water spill : Avoid run-off into storm drains, ditches and waterways.

6.3. Methods and material for containment and cleaning up

Small spill : Dike area to contain spill. Take precautions as necessary to prevent contamination of ground and

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side A

SDS No : PS 100EX A

Date Issued : 09/18/2019

surface waters. Recover spilled material on absorbent, such as sawdust or vermiculite, and sweep into closed containers for disposal. Do not flush to sewer. If area of spill is porous, remove as much contaminated earth and gravel, etc. as necessary and place in closed containers for disposal. Only those persons who are adequately trained, authorized, and wearing the appropriate personal protective equipment (PPE) should participate in spill response and clean-up.

Large spill

: Keep spectators away. Only those persons who are adequately trained, authorized and wearing the required personal protective equipment (PPE) should participate in spill response and clean-up. Know and prepare for spill response before using or handling this product. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquids to covered and labeled containers for disposal. Use appropriate PPE. Place absorbent diking materials in covered containers for disposal. Prevent contamination of sewers, streams, and groundwater with spilled material or used absorbent.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

General procedures

: For professional or industrial use only. Follow label instructions. Keep out of the reach of children. Not for consumption. No smoking. Do not breathe vapors. Avoid contact with body. Empty containers must not be washed and re-used for any purpose. Contact lens wearers must wear protective eye wear around chemical vapors and liquid. Wash hands thoroughly after handling. To prevent build-up of vapors, use adequate natural and/or mechanical ventilation (e.g.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side A

SDS No : PS 100EX A

Date Issued : 09/18/2019

open all windows and doors to achieve cross ventilation).

Storage : Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

8.2. Exposure controls

- Engineering controls** : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.
- Eye/face protection** : Wear safety glasses with side shields, goggles or full-face shield as required by 29 CFR 1910.133 - OSHA Eye and Face Protection Standard. A suitable emergency eye wash station and safety shower should be located near the work station.
- Skin protection** : Wear chemical resistant, impervious gloves.
- Respiratory protection** : Chemical respirator with organic vapor cartridge and full facepiece.
- Protective clothing** : Chemical resistant gloves and normal work clothing (long sleeved shirt and long pants).
- Work hygienic practices** : Use good hygiene practices when handling this material. Wash hands thoroughly after use before

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side A

SDS No : PS 100EX A

Date Issued : 09/18/2019

eating, drinking and/or smoking. When using do not smoke. Routinely was work clothing and protective equipment to remove contamination. Contaminated work clothing should not be allowed out of the workplace.

Other precautions : Wear appropriate thermal protective clothing, when necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|----------------------------------|---------------------------------------|
| Physical state | : Liquid |
| Colour | : Amber |
| Odour | : Slight |
| pH | : Not Available |
| Melting temperature | : Not Available |
| Freezing temperature | : Not Available |
| Boiling temperature | : Not Available |
| Flash point | : > 176.7°C (350°F) Pensky-Martens CC |
| Flammable limits | : Not Available to Not Available |
| Vapor pressure | : Not Available |
| Vapor density | : Not Available |
| Density | : 9.36 lbs/gal |
| Specific gravity | : 1.14 |
| Auto-ignition temperature | : Not Available |
| Thermal decomposition | : Not Available |
| Viscosity | : Not Available |

9.2. Other information

| | |
|--------------|--------------------|
| (VOC) | : < 25 gr/L |
| Notes | : Mixed Components |

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side A

SDS No : PS 100EX A

Date Issued : 09/18/2019

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : Product is stable and non-reactive under normal conditions of use, storage and transport

10.2. Chemical stability

Chemical stability : Stable under normal storage and application conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : None

Hazardous polymerization : Product will not undergo polymerization.

10.4. Conditions to avoid

Conditions to avoid : Contact with incompatible materials

10.5. Incompatible materials

Incompatible materials : Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Decomposition will not occur if handled and stored properly.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute

| Chemical Name | Oral LD ₅₀ | Dermal LD ₅₀ | Inhalation LC ₅₀ |
|-----------------------------------|-----------------------|-------------------------|-----------------------------|
| Bisphenol A/epichlorohydrin Resin | 13600 mg/kg (rats) | No data | No data |
| p-Chlorobenzotrifluoride | > 6800 mg/kg | > 2700 mg/kg | 4479 ppm (4-hr dose) |

Notes : Harmful if inhaled. Harmful in contact with skin.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side A

SDS No : PS 100EX A

Date Issued : 09/18/2019

| | |
|--|---|
| | Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. |
| Skin corrosion/irritation | : Causes skin irritation |
| Serious eye damage/irritation | : Causes serious eye damage |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic |
| Carcinogenicity | : This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. |
| Reproductive toxicity | : This product is not expected to cause reproductive or developmental effects. |
| STOT-single exposure | : Not classified. |
| STOT-repeated exposure | : Not classified. |
| Aspiration Hazard | : Not an aspiration hazard. |

SECTION 12: Ecological information

12.1. Toxicity

Toxicity : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Environmental data : This product contains components that may be harmful to aquatic organisms and may cause long term adverse effects in the aquatic environment.

Additional information : This product contains volatile organic compounds which have a photochemical ozone creation potential.

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side A

SDS No : PS 100EX A

Date Issued : 09/18/2019

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Disposal method** : Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous waste prior to disposal. Consult with your state and local hazardous waste requirements or guidelines to ensure compliance. Arrange disposal in accordance with EPA, state and local requirements.
- Empty container** : Since empties containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

SECTION 16: Other information

- Manufacturer disclaimer** : This document may be used to comply with OSHA's Hazardous Communication Standard, 29 CFR 1910.1200.

To the best of our knowledge, the information contained in this SDS is accurate. It is intended to assist the user in his/her evaluation of the product's hazards and safety precautions to be taken in its use. The data in this SDS relate only to the specific material designated herein. We do not assume liability for the

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side A

SDS No : PS 100EX A

Date Issued : 09/18/2019

use of, or reliance on this information, nor do we guarantee its accuracy or completeness.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Holcim Solutions and Products US, LLC. The data on this sheet relates only to the specific material designated herein. Holcim Solutions and Products US, LLC assumes no legal responsibility for use or reliance upon these data.