according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side B

SDS No: PS 100EX B Date Issued: 09/19/2019

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Product name : PolySpec 100EX - Side B

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Manufacturer

Holcim Solutions and Products US, LLC 26 Century Boulevard, Suite 205 Nashville, Tennessee 37214 1-800-878-7876 •www.polyspec.com

1.4. Emergency telephone number

CHEMTREC (US Transportation): (800) 424-9300

International: (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

: Acute Toxicity (Oral), Category 4 Health

> Acute Toxicity (Dermal), Category 4 Acute Toxicity (Inhalation), Category 3

Skin Corrosion, Category 2

Serious Eye Damage, Category 1

Target Organ Toxicity (Single exposure), Category 3

Environmental : Chronic Hazards to the Aquatic Environment,

Category 3

Acute Hazards to the Aquatic Environment, Category 2

Physical : Organic Peroxides, Type D

2.2. Label elements

Classification according to Regulation (EC) No 1272/2008 [CLP]

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side B

SDS No: PS 100EX B **Date Issued**: 09/19/2019

Hazard pictogram(s)









Flame

Skull and crossbones

Corrosion Exclamation

mark

Hazard statement(s)

: H242: Heating may cause a fire.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H318: Causes serious eye damage. H335: May cause respiratory irritation.

H331: Toxic if inhaled.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

Prevention

: P102: Keep out of reach of children.

P261: Avoid breathing

dust/fume/gas/mist/vapours/spray.

P273: Avoid release to the environment.

P270: Do not eat, drink or smoke when using this

product.

P220: Keep away from clothing and other combustible

materials.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P234: Keep only in original packaging.

P271: Use only outdoors or in a well-ventilated area.

P264: Wash ... thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

Response

: P311: Call a POISON CENTER/doctor/...

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P304+P340: IF INHALED: Remove person to fresh air

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side B

SDS No: PS 100EX B **Date Issued**: 09/19/2019

and keep comfortable for breathing.

P302+P352: IF ON SKIN: Wash with plenty of water/...

P301+P312: IF SWALLOWED: Call a POISON

CENTER/ doctor/...if you feel unwell.

P332+P313: If skin irritation occurs: Get medical

advice/attention. P330: Rinse mouth.

P362+P364: Take off contaminated clothing and wash

it before reuse.

Storage: P233: Keep container tightly closed.

P403+P235: Store in a well-ventilated place. Keep

cool.

P405: Store locked up. P420: Store separately. P410: Protect from sunlight.

P411: Store at temperatures not exceeding ... °C/... °F.

Disposal : P501: Dispose of contents/container to ...

2.3. Other hazards

SECTION 3: Composition / information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side B

SDS No: PS 100EX B **Date Issued**: 09/19/2019

Chemical Name	CAS	EINECS No.	Wt.%
Benzyl Alcohol	100-51-6	202-859-9	5 - 10
2-piperazin-1-ylethylamine	140-31-8	205-411-0	1 - 5
2,2'-iminodiethylamine	111-40-0	203-865-4	1 - 5
Ethylenediamine	107-15-3	203-468-6	1 - 5
3-aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2	220-666-8	1 - 5
Phenol	108-95-2	203-632-7	1 - 5

SECTION 4: First aid measures

4.1. Description of first aid measures

General notes

: Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to the affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this SDS to the doctor in attendance.

Following eyes

: Immediately flush eyes with plenty of tempered water (at least 15-20 minutes) lifting upper and lower eye lids occasionally. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention immediately.

Following skin

: Remove contaminated clothing. Wash the affected area immediately with large amounts of soap and

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side B

SDS No: PS 100EX B **Date Issued**: 09/19/2019

water. Chemical burns must be treated by a physician. Get medical attention if irriations develops or persists. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.

Wash clothing before reuse.

Following ingestion: Call a physician or poison control center immediately.

Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content

doesn't get into the lungs.

Following inhalation: Remove to fresh air. If not breathing, give artificial

respiration or give oxygen by trained personnel. Seek

immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Eyes : Severe eye irriation - symptoms include stinging,

tearing, redness, swelling, and blurred vision.

Permanent eye damage including blindness could

result.

Skin: Burning pain and severe corrosive skin damage.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Fire fighting measures

5.1. Extinguishing media

Extinguishing media: Water Fog, Alcohol Resistant Foam, Dry Chemical

Powder, Carbon Dioxide

Do not use water jet as an extinguisher, as this will

spread the fire

5.2. Special hazards arising from the substance or mixture

General hazard : Combustible Lquid. Heating may cause a fire.

5.3. Advice for firefighters

Fire fighting procedures : Use standard firefighting procedures and consider the

hazards of other involved materials.

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side B

SDS No: PS 100EX B **Date Issued**: 09/19/2019

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do without risk. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire

due to fire.

Fire fighting equipment: As in any fire, wear Self-Contained Breathing

Apparatus (SCBA) MSHA/NIOSH approved or equivalent and full protective clothing. Move

containers from fire area if you can do so without risk.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Release notes

: Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.2. Environmental precautions

Water spill : Avoid run-off into storm drains, ditches and waterways.

6.3. Methods and material for containment and cleaning up

Small spill

Dike area to contain spill. Take precautions as necessary to prevent contamination of ground and surface waters. Recover spilled material on absorbent, such as sawdust or vermiculite, and sweep into closed containers for disposal. Do not flush to sewer. If area of spill is porous, remove as much contaminated earth and gravel, etc. as necessary and place in closed containers for disposal. Only those persons who are adequately trained, authorized, and wearing the appropriate personal protective equipment (PPE) should participate in spill response and clean-up.

Large spill

: Keep spectators away. Only those persons who are adequately trained, authorized and wearing the

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side B

SDS No: PS 100EX B **Date Issued**: 09/19/2019

required personal protective equipment (PPE) should participate in spill response and clean-up. Know and prepare for spill response before using or handling this product. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquids to covered and labeled containers for disposal. Use appropriate PPE. Place absorbent diking materials in covered containers for disposal. Prevent contamination of sewers, streams, and groundwater with spilled material or used absorbent.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

General procedures

: For professional or industrial use only. Follow label instructions. Keep out of the reach of children. Not for consumption. No smoking. Do not breathe vapors. Avoid contact with body. Turn off all pilot lights, flames, stoves, heaters, electric motors, welding equipment and other sources of ignition. Empty containers must not be washed and re-used for any purpose. Contact lens wearers must wear protective eye wear around chemical vapors and liquid. Wash hands thoroughly after handling. Use only outdoors or in a well ventilated area. To prevent build-up of vapors, use adequate natural and/or mechanical ventilation (e.g. open all windows and doors to achieve cross ventilation). Vapors may be heavier than air and will collect in low areas. Containers may be hazardous when empty.

Storage

: Store locked up. Keep only in original container.

Store in a well ventilated place. Store away from other materials.

7.2. Conditions for safe storage, including any incompatibilities

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side B

SDS No: PS 100EX B **Date Issued**: 09/19/2019

7.3. Specific end use(s)

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

8.2. Exposure controls

Engineering controls: Good general ventilation (typically 10 air changes per

hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process

enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below

recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product

shower must be available when handling this product.

Eye/face protection: Wear safety glasses with side shields, goggles or full-

face shield as required by 29 CFR 1910.133 - OSHA

Eye and Face Protection Standard. A suitable

emergency eye wash station and safety shower should

be located near the work station.

Skin protection: Wear chemical resistant, impervious gloves.

Respiratory protection : Chemcial respirator with organic vapor cartridge and

full facepiece.

Protective clothing : Chemical resistant gloves and normal work clothing

(long sleeved shirt and long pants).

Work hygienic practices : Use good hygiene practices when handling this

material. Wash hands thoroughly after use.

Other precautions : Wear appropriate thermal protective clothing, when

necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side B

SDS No: PS 100EX B **Date Issued**: 09/19/2019

Chemical Name	Fla sh Poi nt (°C
Benzyl Alcohol	200

Physical state : Liquid : Amber Odour : Slight

pH : Not Available

Melting temperature : Not Available

Freezing temperature : Not Available

Boiling temperature : Not Available

Flash point : 98.9°C (210°F) Pensky-Martens CC

Flammable limits : Not Available to Not Available

Vapor pressure : Not Available Vapor density : Not Available

Density : 8.28 Specific gravity : 0.99

Viscosity : Not Available

9.2. Other information

(**VOC**) : < 25 gr/L

Notes : Mixed Components

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity: Product is stable and non-reactive under normal

conditions of use, storage and transport

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side B

SDS No: PS 100EX B **Date Issued**: 09/19/2019

10.2. Chemical stability

Chemical stability : Stable under normal storage and application

conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous : None

reactions

Hazardous polymerization: Product will not undergo polymerization.

10.4. Conditions to avoid

Conditions to avoid : Avoid heat, flames, sparks, and other sources of

ignition. Avoid contact with incompatible materials.

10.5. Incompatible materials

Incompatible materials: Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition: Decomposition will not occur if handled and stored

products properly.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side B

SDS No: PS 100EX B **Date Issued**: 09/19/2019

Chemical Name	Oral LD ₅₀	Dermal LD ₅₀	Inhalation LC ₅₀
Benzyl Alcohol	1230 mg/kg	No data	No data
2-piperazin-1-ylethylamine	2097 mg/kg (rats)	No data	No data
2,2'-iminodiethylamine	1080 mg/kg (rats)	1090 mg/kg (rabbits)	0.3 mg/L (4-hr dose)
Ethylenediamine	1200 mg/kg (rats)	560 mg/kg (rabbits)	14.7 mg/L (4-hr dose)
3-aminomethyl-3,5,5-trimethylcyclohexylamine	No data	No data	No data
Phenol	410 to 650 mg/kg (rats)	No data	No data

Notes : Harmful if inhaled. Harmful in contact with skin.

Harmful if swallowed.

Skin corrosion/irritation : Causes severe skin burns. Harmful in contact with

skin. May cause an allergic skin reaction.

Serious eye

damage/irritation

: Causes serious eye damage

Respiratory or skin

sensitisation

: May cause an allergic skin reaction.

Germ cell mutagenicity: No data available to indicate product or any

components present at greater than 0.1% are

mutagenic or genotoxic

Carcinogenicity

Chemical Name	IARC Status
Phenol	3

Notes : This product is not considered to be a carcinogen by IARC,

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side B

SDS No: PS 100EX B **Date Issued**: 09/19/2019

ACGIH, NTP, or OSHA.

Reproductive toxicity: This product is not expected to cause reproductive or

developmental effects.

STOT-single exposure : Not classified.

STOT-repeated exposure : Not classified.

Aspiration Hazard: Not an aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity: Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

12.3. Bioaccumulative potential

Bioaccumulative potential: Partition coefficient n-octanol/water (log Kow)

Butyl Alcohol 1.10 Ethylenediamine -2.04

Phenol 1.46

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Environmental data : This product contains components that may be

harmful to aquatic organisms and may cause long term adverse effects in the aquatic environment.

Additional information: This product contains volatile organic compounds

which have a photochemical ozone creation potential.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal method : Consult with the US EPA Guidelines listed in 40 CFR

Part 261.3 for the classifications of hazardous waste prior to disposal. Consult with your state and local

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side B

SDS No: PS 100EX B **Date Issued**: 09/19/2019

hazardous waste requirements or guidelines to ensure compliance. Arrange disposal in accordance with EPA,

state and local requirements.

Empty container: Since empties containers may retain product residue,

follow label warnings even after container is emptied. Empty containers should be taken to an approved

waste handling site for recycling or disposal.

SECTION 14: Transport information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

SECTION 16: Other information

Information contact : (281) 397-0033

Manufacturer disclaimer : This document may be used to comply with OSHA's

Hazardous Communication Standard, 29 CFR

1910.1200.

To the best of our knowledge, the information contained in this SDS is accurate. It is intended to assist the user in his/her evaluation of the product's hazards and safety precautions to be taken in its use. The data in this SDS relate only to the specific material designated herein. We do not assume liability for the use of, or reliance on this information, nor do we guarantee its accuracy or completeness.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Holcim Solutions and Products US,

according to Regulation (EC) No. 453/2010

PolySpec 100EX - Side B

SDS No: PS 100EX B **Date Issued**: 09/19/2019

The data on this sheet relates only to the specific material designated herein. Holcim Solutions and Products US, LLC assumes no legal responsibility for use or reliance upon these data.